

tuanvu2112@hotmail.com | [My Account](#) | [Sign out](#)[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Smart savvy directories automatic deploy bean

[Search](#)[Advanced Search](#)
[Preferences](#)**Web** Results 1 - 10 of about 21,100 for **Smart savvy directories automatic deploy bean**. (0.25 seconds)

Java's Future: Challenge and Opportunity

One use of metadata is to annotate exposed methods in the Enterprise Java **Beans** and the Web Service class for **automatic** packaging and **deployment**. ...

doi.ieeecomputersociety.org/10.1109/MITP.2004.39 - [Similar pages](#)

New Tools

It can also **deploy** and manage applications to any device that can understand Java, including thin clients, handhelds, NCs, and even **smart** cards. ...

doi.ieeecomputersociety.org/10.1109/MC.1998.10077 - [Similar pages](#)

An Oracle Technical White Paper

When you **deploy** the Application Modules as CORBA Server Objects or as EJB Session **Beans**, by design you never need more than one single CORBA or EJB remote ...

www.oracle.com/technology/products/jdev/info/techwp20/wp.html - 168k -

[Cached](#) - [Similar pages](#)

Amazon.com: "Optional Package": Key Phrase page

Microsoft FrontPage 2003 **Savvy** by Christian Crumlish, Kate J. Chase, Kate Chase. See all pages with references to Optional Package. ...

www.amazon.com/phrase/Optional-Package - 67k - Nov 19, 2006 - [Cached](#) - [Similar pages](#)

[PDF] Java's Future: Challenge and Opportunity

File Format: PDF/Adobe Acrobat

Test Your Java **Savvy** ... The new generation of **smart** IDE tools—Eclipse, ... and the Web Service class for **automatic** packaging and **deployment**. ...

ieeexplore.ieee.org/iel5/6294/29315/01324568.pdf?arnumber=1324568 - [Similar pages](#)

IPCRES Proposal

The problem of **automatic** processing of multimodal (speech and gesture) human ... Its development and **deployment** will enable new types of economic activity ...

www.indiana.edu/~ovpit/ipcres/index_7.html - 77k - [Cached](#) - [Similar pages](#)

[PDF] Oracle9 AS Technical Profile

File Format: PDF/Adobe Acrobat - [View as HTML](#)

You should consider technical strength, marketing **savvy** and customer ... by providing a one-click **automatic deployment** from within the tool to an Oracle9i ...

www.oracle.qassociates.co.uk/library/pdf/TechProfile.PDF - [Similar pages](#)

Welcome to the kriha.org weblog

(I must say that our **deployment** is really modeled after the J2EE roles ... **Automatic** composition of web services into business processes using intermediates ...

www.kriha.de/krihaorg/txtblog3.html - 153k - [Cached](#) - [Similar pages](#)

[PDF] SANSbecome deployityourself

File Format: PDF/Adobe Acrobat - [View as HTML](#)

is that people without SAN-specific knowledge will **deploy** ... **Savvy** Windows administrators are using network-attached storage (NAS) to address their ...

www.equallogic.com/uploadedFiles/News_and_Events/Articles/WINSTORAGE_06%2006.pdf - [Similar pages](#)

Telepocalypse by Martin Geddes: August 2004 Archives

This **bean** tracking helps us answer an important question: is this company profitable, ... A very **savvy** but inflexible network with a weak ID system, ...

www.telepocalypse.net/archives/2004_08.html - 70k - [Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

tuanvu2112@hotmail.com | [My Account](#) | [Sign out](#)[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

smart redeployment EJB bean directory contai

[Search](#)[Advanced Search](#)
[Preferences](#)**Web** Results 1 - 10 of about 210 for smart redeployment EJB bean directory container. (0.26 seconds)

Pramati Server 3.0 Release Notes

Includes Stateful and Stateless Session **Beans**, CMP Entity **Beans**, **Container** Managed Relationships, Message Driven **Beans**, optimized Web **Container**, **EJB QL**, ...
www.pramati.com/docstore/1210004/psv30relnotes.htm - 38k - [Cached](#) - [Similar pages](#)

Pramati Server 3.5 Release Notes

EJB Container. Message Driven **Bean** (MDB) local bindings are cleared when the ... No **rededeployment**, migration or change in **directory** structure of the ...
www.pramati.com/docstore/1210007/psv35relnotes.htm - 40k - [Cached](#) - [Similar pages](#)

Amazon.com: "component container": Key Phrase page

EJB components act as servers and execute within a component **container**. ... component "container," or execution environment is the simple "bean box" utility ...
www.amazon.com/phrase/component-container - 61k - [Cached](#) - [Similar pages](#)

SourceForge.net: 3.2.1 Changes

Rededeployment was not being triggered by touching the ... create/start **EJB containers** in the ordering as seen from ApplicationMetaData, and stop/destroy the ...
sourceforge.net/docman/display_doc.php?docid=16831&group_id=22866 - 40k - [Cached](#) - [Similar pages](#)

SourceForge.net: Files

Rededeployment was not being triggered by touching the ... The ordering is: entity **beans** in the **ejb-jar** declaration order session **beans** ...
sourceforge.net/project/shownotes.php?release_id=157182&group_id=22866 - 47k - [Cached](#) - [Similar pages](#)

Accessor class to stateless session EJB

For instance, if the **bean** has been timed-out & a client calls the **EJB** Object, the **container** takes ... It is simply a **directory** service, not a **container**. ...
www.theserverside.com/discussions/thread.tss?thread_id=1436 - 111k - [Cached](#) - [Similar pages](#)

[PDF] The JBoss Kernel: Plug and Play J2EE, TS-3901, JavaOne 2005

File Format: PDF/Adobe Acrobat - [View as HTML](#)
Decouples the services enabling hot- and **rededeployment** of all. server parts ... or per **EJB container** (a **container** is an MBean with interceptors) ...
dsc.sun.com/learning/javaoneonline/2005/coreenterprise/TS-3901.pdf - [Similar pages](#)

Dev2Dev Online: Developer Centers Archive

The standard **EJB 2.0 container**- managed persistence (CMP) query language known as **EJB QL** allows users to retrieve **container**-managed entity **beans**, ...
dev2dev.bea.com/devcenters/archive.html?product=22&prod_cat=2 - 126k - [Cached](#) - [Similar pages](#)

EdgeBuilder Developer's Guide

MF file within the META-INF **directory** is also used when you want to include ... Stateless Session **beans** as well as all **EJB** Version 3 (EJB3) objects are ...
www.sco.com/support/docs/edgebuilder/ebdg-ecpdev.html - 32k - [Cached](#) - [Similar pages](#)

The Apache Tomcat 5.5 Servlet/JSP Container - Changelog

fix, 22617: When used with an **EJB container** and a realm that supports the concept ... fix,
34840: Better handling of external WARs **redployment**, and ignore ...
tomcat.apache.org/tomcat-5.5-doc/changelog.html - 203k - [Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google